

09.15.00

A

928jc U.S. PTO
09/14/00

RINES AND RINES
ATTORNEYS AT LAW

DAVID RINES (1884-1978)

ROBERT H. RINES

81 North State Street
Concord, New Hampshire 03301
Tel: (603) 228-0121
Fax: (603) 228-0210
E-Mail: rhr@aas-world.org

CONFERENCE SUITES
65 East India Row
Boston, Massachusetts 02110
Tel: (617) 523-6304
Fax: (617) 973-9956

OF COUNSEL
John R. Allsop
Bledington Grounds
Bledington
Gloucestershire OX7 6XL, U.K.
Tel: (0608) 659836
Fax: (0608) 659438
EUROPEAN PATENT ATTORNEY

September 14, 2000

928jc U.S. PTO
09/14/00

Commissioner of Patents and Trademarks
U.S. Patent and Trademark Office
Washington, DC 20231

Dear Sir:

RE: New US Patent Application Entitled: METHOD OF AND SYSTEM FOR PORTABLE
CELLULAR PHONE VOICE COMMUNICATION AND POSITIONAL LOCATION DATA
COMMUNICATION THROUGH USE OF CENTRAL SERVICE CENTER ASSOCIATION
OF VOICE COMMUNICATION RECEIVED ALONG A VOICE CHANNEL WITH
POSITIONAL LOCATION DATA RECEIVED ALONG A SEPARATE DATA CHANNEL
Inventors: William Duvall and Rod DeMille
Assignment to: LoJack Corp.

We enclose the above-identified patent application, the filing fee of \$345.00, together
with 1 (one) sheets of drawings, and a Verified Statement (small entity status)

The Commissioner is hereby authorized to charge any additional fees that may be due,
to the deposit account No. 18-1425 of the undersigned attorney,

Cordially,

RINES AND RINES

Robert H. Rines
Robert H. Rines

RHR/ipo--Enclosures

Applicant or Patentee: LoJack Corporation Attorney's
Serial or Patent No.: _____ Docket No.: _____
Filed or Issued: _____
For: Method Of And System For Portable Cellular Phone Voice Communication And Positional Location Data Communication And
Positional Location Data Communication Through Use Of Central Service Center Association Of Voice Communication Received
Along A Voice Channel, With Positional Location Data Received Along A Separate Data Channel

VERIFIED STATEMENT (DECLARATION), CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) and 1.27(c)) - SMALL BUSINESS CONCERN

I hereby declare that I am

- ☐ the owner of the small business concern identified below:
☒ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF CONCERN LoJack Corporation
ADDRESS OF CONCERN 333 Elm Street, Dedham, MA

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.3-18, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention, entitled
as above by inventor(s)
William Duvall and Rod DeMille
described in

- ☒ the specification filed herewith
☐ application serial no. _____, filed _____
☐ patent no. _____, issued _____

If the rights held by the above identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed below* and no rights to the invention are held by any person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9(d) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e). *NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

NAME _____
ADDRESS _____
☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

NAME _____
ADDRESS _____
☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING C. Michael Doley
TITLE OF PERSON OTHER THAN OWNER C.E.O.
ADDRESS OF PERSON SIGNING 333 Elm St Dedham, MA 02026

SIGNATURE C. Michael Doley DATE June 6, 2000

METHOD OF AND SYSTEM FOR PORTABLE CELLULAR PHONE VOICE
COMMUNICATION AND POSITIONAL LOCATION DATA COMMUNICATION
THROUGH USE OF CENTRAL SERVICE CENTER ASSOCIATION OF VOICE
COMMUNICATION RECEIVED ALONG A VOICE CHANNEL WITH POSITIONAL
LOCATION DATA RECEIVED ALONG A SEPARATE DATA CHANNEL

The present invention relates to cellular telephone voice communication and positional location data communication; being more particularly, though not exclusively, concerned with vehicle communication equipment using cellular phones and provided with a GPS input, wherein the driver can call a central service center to receive directions or safety or security services, navigational aid and other services, through the mechanism of the central service center associating and co-ordinating the driver's call received along a radio voice-communications channel from the driver's cellular phone, with positional data from the driver's vehicle received along a separate data radio channel.

BACKGROUND

In the recent past, vehicular equipment has been provided to enable the reception by the driver of positional location services through a combined voice and data cellular phone equipped with a GPS receiver input, enabling the driver to call a central service center over a personal cellular phone to provide directions, safety services or security services to the driver of the vehicle. Among such products are "Onstar" by General Motors, the Ford "Rescu", and "Mercedes Benz Carin", among others. The current industry requires the owner of the car to pay a hardware fee for a vehicular telephone and GPS equipment, an activation fee for this second phone, a recurring monthly fee (which varies from \$20.-\$25.00), and, additionally, a fee for usage, such as paying for the call by the minute and the service. These numerous required fees have disadvantageously

mitigated against the anticipated, but not as yet currently attained, commercial success hoped for in these products. The after-market also has been offering a combined voice and data cellular phone with a GPS module to accomplish these services in the same manner.

In accordance with a novel concept presented in my copending application Serial No. 09/235,606, filed January 20, 1999 for Improved Method Of And System For Portable Cellular Phone Voice Communication And Positional Location Data Communication Using The Cellular Phone Network Control, on the other hand, through a novel separation of voice and data aspects of the equipment, radio channels and services, the inhibiting charges and costs underlying present-day offerings are eliminated, and an expanded concept promising much wider acceptance of this technology, now appears in the offing.

That concept takes advantage, in its preferred low cost form, of the use of just one phone using the drivers existing cellular phone for the voice communication path, and the control channel of the cellular phone network for the data transmission path. Specifically, a user calls the control center over the voice channel or link of the cellular telephone network to request information, such as, for example, location or directions. Upon receipt of the voice request along the radio voice channel, and upon PIN or other verification, the control center, using a separate radio data channel (preferably the facilities of the cellular network control channel in said copending application), sends a radio trigger signal along such separate data channel to a GPS receiver and transponder (transceiver) module in the consumer's vehicle to activate the GPS receiver to receive positional navigation location signals from the GPS satellite constellation. Such are

processed in the module microprocessor of the transceiver module and activates the module transponder transmitter to send the resulting vehicle location data information back to the network operations control center via the data channel. Upon receipt of such vehicle location data, the network operations control center associates, coordinates or "marries" such with the appropriate consumer or user voice call request received along the cellular phone voice channel, and then communicates the requested positional or other service information data back to the consumer in the vehicle via the voice cellular phone channel. Thus, through the use of two different communication channels to provide voice on one and service data only on the other, there is only one telephone required by the consumer or user and only one telephone bill involved in the delivery of the services through marrying the voice and data at the control center.

Underlying the present invention is the realization, however, that, though perhaps not so cost-effective, other communications links or paths than the cellular telephone network control channel can be used for each or both of the data and voice components of this "one - phone" type of operation with the control center.

OBJECTS OF INVENTION

An object of the present invention, accordingly, is to provide a new and improved and expanded method of and system for portable cellular phone voice communication and positional location data communications, that shall not only obviate the prior art disadvantages above discussed, but that, in addition, through the use of the separation of voice and data aspects of the equipment, channels and services of said copending application, not only promises improved performance with substantially lower costs but

adds the further possibility of using a variety of other communications links than the cellular telephone network control channel for either or both of separate voice and data communication.

Other and further objects will be explained hereinafter and are more particularly delineated in the appended claims.

SUMMARY

In summary, from one of its broader aspects, the invention embraces a method of voice and positional location data radio communication over a cellular phone network having a cellular radio voice channel path communicating with a network operations control center and a data radio channel path separately communicating with said network operations control center, the method comprising, user voice-calling the control center from a portable cellular telephone location over the cellular voice path, requesting location information services; upon user verification, sending a radio signal from the control center over the data channel path to be received at said location; providing a radio transponder and GPS receiver and microprocessor module at said location; activating the GPS receiver in response to receipt of said signal, to receive and process location data from the GPS satellite constellation and to activate the transponder to transmit processed location data over the data channel path to said control center; associating the transmitted location data with the user voice call request at the control center; and sending location service information from the control center to the user.

With the broadening features of the present invention beyond use of the cellular network control channel paths, the "one-phone" technique may be used with other data communications paths or links such as, for example, the Orbcom satellite

communications link, using satellite transceiver in the vehicle transmitting to and from the satellite constellation.

It is also now possible to deliver the data information services via the Internet through a Web portal, such as, for example, the LoJack WebSite of the assignee of the present application; and there are multitudes of other usable data channels, as well, such as the Motorola 25 reflex paging, which uses a two-way paging network, and so forth.

Turning to the voice component as used in the "one-phone" system, it is similarly possible to use other communications links to establish voice contact from the driver of the vehicle to the control center, and the possibilities include so-called SMR (specialty mobile radio), VHF radio, UHF radio, and, additionally, other cellular technologies used in North America, and the so-called GSM technologies being used in Europe, and, in fact, any of the other cellular telephone protocols that are being used around world. It is also possible to use a satellite link as before-described, but for the voice channel as well as the data channel, such as the Paridum telephone network and others. The present invention thus expands the communications channels usable for both voice and data with the "one-phone" system concept.

Preferred and best mode designs and operation are later described.

DRAWINGS

The invention will now be explained in connection with the accompanying drawings, the single figure of which is a schematic diagram illustrative of the techniques and systems of the invention, shown adapted for both consumer and commercial

vehicular use, and in preferred form, though separate and independent consumer and commercial uses may be employed as later explained.

PREFERRED EMBODIMENT(S) OF INVENTION

As earlier mentioned, a major difference between what is currently used in the industry and the concept underlying the present invention involves the separation of the data and the voice aspects of the service. The user still makes voice calls over a radio voice path to the call center, with the user's own existing portable cellular phone. A separate vehicle module is provided which uses a vehicle - provided data transmitter-receiver portion of the vehicle module (not a full voice and data phone as presently required), transmitting the GPS and other data back along a separate data channel path. This is as contrasted with the present whole vehicle cellular telephone voice and data phone (and its further costs before discussed), built in as a requirement for the proper operation of the system. The invention, rather, relies on the user's portable phone for voice, and not any other dedicated in-car vehicle phone, which is confined or restricted to data transmission only. This means, as earlier mentioned, that there is no longer the need for the customer to have a second phone bill, additional to the user's portable phone, in light of the use of the minimal fee cellular network control channel path for positional data only.

In cellular phone network coverage areas, each AMPS (advance mobile phone standard) cell site generically has control channels that serve to alert the network of a user's presence so that the user may be located. The control channels set up calls, break down calls and switch cell sites. Although these control channels are necessary to enable

voice operation, they remain otherwise unused for most of the time. While it has before been proposed in Aeries "MicroBurst" technology and in Bell South's "Cellemetry" to provide low data rate communication over such cellular control channels, the invention of my copending application uses the same for a very different purpose and in a very different system operation. Where the system of my copending application is used, therefore, only one recurring monthly fee must be paid for the user's existing portable phone, and there may be no further recurring fees for the vehicle module which communicates only over the control channel of the cellular network and only to transmit data.

As before explained, however, the present invention, while not so cost saving, expands the flexibility of the "one-phone" concept to enable use with a myriad of other radio communication links, both for voice and data, than just the cellular network control channel links, and provides for other features, including commercial fleet tracking and vehicle dispatcher use, as well.

Turning now, to the embodiment shown in drawing, the customer user in the vehicle V (labeled "Concierge One Phone™ Voice Call") is shown calling at 1 on any type of existing cellular phone P, presumably one that the driver already owns, to the network operations call center, so labeled at C.

While in Figure 1, a web portal labeled "LoJack.net Portal" is shown to the left, it may be ignored for this initial explanation of consumer vehicle operation, such that the center C will receive the cellular phone call from the phone P through the appropriate network antenna "CELLULAR NETWORK" over the normal voice cellular radio phone channel C1; and, in usual fashion, verifies that the caller's user ID is correct, as by

requesting a PIN code at 2, as is well known. Then the call center C separately and independently, using the PIN code, looks up the appropriate data channel access number, and sends or “pings” a radio query at 3, along path C2 and the data channel transmitter antenna (“MICROBURST NETWORK”), to a transponder-GPS receiver module, GPS/T, provided in the vehicle V. The receipt of the radio signal “ping” 3 by the vehicle module antenna A, wakes up or activates the GPS receiver (“GPS”) therein and calculates by its microprocessor, the vehicle position as determined by receiving the navigation signals N from the GPS satellite constellation S. The vehicle module transponder transmitter portion “T” is then activated to respond back at 4 along the data channel path C₂, with the vehicle position location data information and any other data information which may be selected for sending along the control path C₂, back to the network operations call center C. The center C, having associated or “married” the voice and corresponding data channels, can now inform the caller where the vehicle is currently located, thereby enabling driver planning and executing of vehicle routes, and/or providing other services. By associating this information received along the data channel with the appropriate user voice call request received along the cellular phone channel C₁, the control center C then communicates the requested positional or other service information back to the user phone 1 in the vehicle V by the voice channel path C₁-1.

As earlier described, in accordance with the invention, there are many options available to select desired separate voice and data communication links or paths.

Further facilities are shown provided by the previously ignored “LoJack.net Portal” and “Internet Connection and Servers” shown to the left in the drawing. The “MICROBURST” antenna is shown connected in the previously described Aeries type of

A commercial version of the system, so labeled at the right-center of the drawing, consist of a "One-Phone " software package installed in a desktop PC, lower left of drawing which resides in the office of the dispatcher of the company subscribing to the "One Phone"TM commercial service. The same "One Phone" unit P and a GPS/transceiver GPS¹/T¹ and antenna A¹ is installed in the commercial vehicle V¹.

To use the service, the dispatcher logs onto LoJack.net Portal, and enters the user name and password. A second screen will then display a number of options to choose from, such as,

- Last five locations and time.
- Determine current location.
- Exception reports
- History reports (last hour, day, week, month)
- Average speed over x time
- Etc.

The dispatcher will "click" on one of the options; and, after receiving the information, will decide what action to take. This allows the dispatcher to know the location of all of the mobile units in the fleet at any given time, without having to interrupt the driver or tradesman. If there is an issue, the dispatcher may then elect to call or radio the person in or near the vehicle.

The invention thus provides, also, a management tool, used not by the driver, but by managers to improve the efficiency of an operation.

036323B.091400

0 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1000

What is claimed is:

1. A method of voice and positional location data radio communication over a cellular phone network having a cellular radio voice channel path communicating with a network operations control center and a data radio channel path separately communicating with said network operations control center, the method comprising user voice -calling the control center, from a portable cellular telephone location over the cellular voice path, requesting location and other information services; upon user verification, sending a radio signal from the control center over the data channel path to be received at said location; providing a radio transponder and GPS receiver and microprocessor module at said location; activating the GPS receiver, in response to receipt of said radio signal, to receive and process location data from the GPS satellite constellation for the vehicle and to activate the transponder to transmit the processed location data over the data channel path to said control center; associating the transmitted location data with the user voice call request at the control center; and sending location services information from the control center to the user.
2. The method of claim 1 wherein said location services information is sent from the control center over the cellular radio-voice channel path to the user.

3. The method of claim 1 wherein said data channel path is selected from the group consisting of satellite communications links, two-way paging networks and through web portals via the internet.
4. The method of claim 1 wherein said voice channel path is selected from the group consisting of SMR, VHF, UHF, GSM, satellite and cellular telephone network control channel links.
5. The method of claim 1 wherein vehicle fleet dispatchers or managers access the GPS-transponder modules of the vehicles of the fleet tracking the location of such vehicles of the fleet without interrupting the vehicle driver or user.
6. The method of claim 5 wherein the dispatchers or managers also access a web portal for obtaining information options through the internet.
7. The method of claim 1 wherein the vehicle user, when remote from the vehicle, accesses a web portal interfacing with said channels to determine the location of the vehicle.
8. A system for voice and positional location data radio communication over a cellular phone network having a cellular radio voice channel path communicating with a network operations control center, the system having also a data radio channel path separately communicating with said network operations control center, said system

004T60"322990

having, in combination, a portable cellular telephone for user voice-calling to the control center over the cellular voice path, for requesting user location information services; means operable upon user identification, for sending a radio signal from the control center over the data channel path to be received at the user location; a radio-transponder GPS receiver and microprocessor module disposed at said location; means for activating the GPS receiver of the module in response to receipt of said radio signal, to receive and process location data from the GPS satellite constellation for the vehicle and to activate the transponder to transmit the processed location data over the data channel path to said control center; and means for sending location services information from the control center to the user upon associating the transmitted location data with the user voice call request.

9. The system of claim 7 wherein said location services information is sent from the control center over the cellular radio voice channel path to the user.

10. The system of claim 7 wherein said data channel path is selected from the group consisting of satellite communications links, two-way paging networks and through web portals via the internet.


11. The system of claim 7 wherein the said voice channel path is selected from the group consisting of SMR, VHF, UHF, GSM, satellite and cellular telephone network central channel links.

12. The system of claim 7 wherein software is provided to enable vehicle fleet dispatchers or managers to access the GPS-transponder modules of the vehicles of the fleet, enabling the tracking of the location of such vehicles without interrupting the vehicle driver or user.
13. The system of claim 12 wherein means is provided for enabling the dispatchers or managers also to access a web portal interfacing with said channels for obtaining fleet information options through the internet.
14. The system of claim 7 wherein the vehicle user is provided with means, operable remotely from the vehicle, for accessing a web portal interfacing with said channels to determine the location of the vehicle.



ABSTRACT

A novel method of and system for enabling the use of one portable cellular phone only in voice communication over a radio voice channel with a cellular network control center for voice-requesting position or location data or other services; and, with the aid of a vehicle GPS-transponder activated in response to signaling from the control center over a separate radio-data channel path, to receive and process at the vehicle GPS location data from satellites, and to transmit the location data over the said data control path to the control center; and for then sending such data and information therefrom to the user of the portable cellular phone -- the system being also adaptable for use by dispatcher managers of fleets of vehicles.

LoJack.net Applications Servers




LoJack Applications Servers
 Map Server for Tracking - Dispatching server for
 Commercial - Direct Billing Server - Data Hosting



CELLULAR/PCS NETWORK



MICROBURST NETWORK



OnePhone Data Call

DECLARATION AND POWER OF ATTORNEY

As a below-named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: *METHOD OF AND SYSTEM FOR PORTABLE CELLULAR PHONE VOICE COMMUNICATION AND POSITIONAL LOCATION DATA COMMUNICATION AND POSITIONAL LOCATION DATA COMMUNICATION THROUGH USE OF CENTRAL SERVICE CENTER ASSOCIATION OF VOICE COMMUNICATION RECEIVED ALONG A VOICE CHANNEL, WITH POSITIONAL LOCATION DATA RECEIVED ALONG A SEPARATE DATA CHANNEL* the specification of which

 x is attached hereto

 was filed on , as United States Application Serial No.

 or PCT International Application No. .

and was amended

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, C.F.R. Sec. 1.56.

I hereby claim foreign priority benefits under Title 35, U.S.C. Sec. 119 of any foreign application(s) for patent or Inventor's certificate listed below and have also identified below any foreign application for patent or Inventor's certificate having a filing date before that of the application on which priority is claimed:

Serial No.	Country	Filing Date	Priority Claimed	
			Yes	No


I hereby claim the benefit under Title 35, U.S.C. Sec. 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, U.S.C. Sec. 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, C.F.R. Sec. 1.56 which became available between the filing date of the prior application and the national of PCT international filing date of this application:

And I hereby appoint Robert H. Rines, Reg. No. 15,932, and Robert Shaw, Reg. No. 20,440, of the firm of Rines and Rines, Reg. No. 16,118, 81 North State Street, Concord, New Hampshire 03301, my attorneys, with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Sec. 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

(1) Full name of sole or first inventor: William Duvall

Date: July 31, 2000

Signature: 

Citizenship: USA

Residence: 67 Bowditch Road, Sudbury, MA 01776

Post Office Address: 67 Bowditch Road, Sudbury, MA 01776

(2) Full name of second joint inventor: Rod DeMille

Date: July 31, 2000

Signature: 

Citizenship: USA

Residence: 179 Concord Road, Sudbury, MA 01776

Post Office Address: 179 Concord Road, Sudbury, MA 01776